

Antibiotics Resistance: A Chemical Perspective and Environmental Impact

Pratha Patil¹; Umra Rehman¹; Nisha Prabhakar¹; Sarvar Jahan^{1*}

¹Students of BSc Biotechnology Science VI Sem School of Science, Sam Global University, Raisen

^{1*}Assistant Professor, School of Science, Sam Global University, Raisen

Corresponding Author: Sarvar Jahan*

Publication Date: 2026/05/18

Abstract: Many people have died from infectious diseases, which has made the public more aware of how dangerous these illnesses can be, and this has led to more global efforts to research antimicrobial treatments. However, the demand and use of antibiotics have led to an increase in antibiotic levels within natural ecosystems. Natural selection and adaptation caused changes in bacterial genes that make them resistant to antibiotics. The spread of antibiotic resistance genes in ecosystems caused the rise of bacteria that are resistant to antibiotics, which has led to many different antibiotic-resistant diseases around the world. This paper gives a general look at how antibiotics were discovered, the methods used to find new antibiotics, and the steps involved in making antibiotics on a large scale in industry. Also, there has been a review of how antibiotic-resistant bacteria are becoming more common and the effects of antibiotics on the environment, along with some recommendations provided. The topic of antibiotic resistance has also been looked at from an ecological point of view. New drug development appears to be the main requirement now to control microbes that are no longer responding to existing drugs.

How to Cite: Pratha Patil; Umra Rehman; Nisha Prabhakar; Sarvar Jahan (2026) Antibiotics Resistance: A Chemical Perspective and Environmental Impact. *International Journal of Innovative Science and Research Technology*, 11(4), 4805-4808. <https://doi.org/10.38124/ijisrt/26apr2125>

I. INTRODUCTION

The situation with antibiotic resistance is a big problem for public health. Over the last few decades, more and more bacteria have become resistant to antibiotics. This means that many antibiotics are not as effective as they used to be, or don't work at all. Because of this, infections that were once easy to treat are now harder to deal with. This leads to longer hospital stays, higher medical costs, and more deaths. One of the main issues is that there aren't enough new antibiotics being developed. Many drug companies have stopped investing in this area because these drugs don't make a lot of profit. Creating a new antibiotic is a long and expensive process, which makes companies less interested in doing it. Also, antibiotics are often used when they're not needed, both in hospitals and for simple illnesses. This misuse is a major reason why resistance increases. In addition, the use of antibiotics in farming and animal care, like giving them to animals to help them grow faster, spreads resistance. This can happen when these resistant bacteria get into the food chain and then into humans. There have been efforts to fight antibiotic resistance, including work by groups like the World Health Organization. These groups try to spread awareness, promote the right use of antibiotics, and support new research. The One Health Approach, which looks at how human, animal, and

environmental health are connected, is becoming more popular as a way to tackle resistance.

This approach shows that using antibiotics in one area can affect other areas. However, resistance rates vary around the world, depending on different healthcare practices, how antibiotics are used, and how strict the rules are. In short, antibiotic resistance is a serious global health problem. Even though there's more awareness and better practices in using antibiotics, resistance is still growing and new antibiotics are not coming fast enough. Everyone, from doctors and scientists to governments and the public, must work together to deal with this issue.

This review article aims to look at the global challenge of antibiotic resistance, find new ways to fight drug-resistant bacteria, understand the financial problems in developing new antibiotics, and suggest ways to bring back interest in this area. It also highlights the importance of teamwork between countries and governments in fighting antibiotic resistance.

II. CHEMICAL NATURE OF ANTIBIOTIC

➤ *Source and Composition:*

Antibiotics are derived from over 65,000-70,000 natural substances (produced by bacteria/fungi) or semisynthetic/synthetic compounds.

➤ *Key Classes and Structural Roles:*

- lactams (Penicillin, Cephalosporins): Contain a defining
- lactam ring that disrupts peptidoglycan cross-linking in bacterial cell walls.

➤ *Tetracycline's:*

Possess a four-ring structure that binds to the 30S ribosomal subunit to inhibit protein synthesis.

➤ *Fluor Quinolones (Ciprofloxacin):*

Synthetic compounds containing a quinolone scaffold that stabilizes DNA-topoisomerase complexes, causing cleavage.

➤ *Persistence:*

Fluor quinolones exhibit high chemical stability, while penicillin are highly susceptible to hydrolysis.

III. CHEMICAL MECHANISM OF ANTIBIOTIC RESISTANCE

Bacteria employ sophisticated chemistry to survive, often driven by Mobile Genetic Elements (MGEs) that allow rapid sharing of these traits. National Institutes of Health (.gov) National Institutes of Health (.gov) Enzymatic Inactivation (Destruction/Modification): Bacteria produce enzymes that directly destroy or chemically alter the antibiotic. -lactamases: These enzymes break the amide bond of the -lactam ring in penicillin and cephalosporin, rendering them inactive. Group Transfer (Acetylation, Phosphorylation, Adenylation): Modifying enzymes add specific chemical moieties to aminoglycosides and chloramphenicol, creating steric hindrance that prevents binding to the bacterial ribosome. Target Modification/Protection: Bacteria alter the drug's target site, often by methylation (e.g., *erm* genes protecting ribosomes from macrolides) or by acquiring new proteins (e.g., *mecA* in MRSA) that the antibiotic cannot bind. Active Efflux Pumps: Tripartite proteins (e.g., RND family) actively transport antibiotics out of the cell before they reach their target. Tetracycline resistance often involves efflux pumps driven by proton exchange. Reduced Permeability: Gram-negative bacteria alter or down regulate poring channels in their outer membrane, preventing hydrophilic drugs like carbapenems from entering.

IV. ENVIRONMENTAL SOURCES OF ANTIBIOTICS RESISTANCE

Antibiotic resistance is not entirely man-made; it exists naturally in the environment.

➤ *Soil Microbiota*

Soil is one of the richest reservoirs of antibiotic-producing organisms such as Actinomycetes. These organisms naturally produce antibiotics, leading to the evolution of resistance genes over millions of years. Resistance genes in soil bacteria can transfer to pathogenic bacteria via horizontal gene transfer.

➤ *Aquatic Environments*

Rivers, lakes, and oceans harbour diverse microbial communities.

Natural antibiotic compounds and resistant bacteria are present in these ecosystems. Biofilms in water systems enhance gene exchange and resistance spread. Anthropogenic Sources Human activities significantly amplify antibiotic resistance in the environment.

➤ *Wastewater Treatment Plants (WWTPs)*

WWTPs receive antibiotics, resistant bacteria, and ARGs from hospitals, households, and industries. Incomplete removal during treatment allows resistant microbes to enter natural water bodies. WWTPs act as "hotspots" for gene exchange. Agricultural Practices Antibiotics are widely used in livestock for growth promotion and disease prevention. Animal waste (manure) contains antibiotic residues and resistant bacteria. Runoff from agricultural fields contaminates soil and water systems.

➤ *Pharmaceutical Industry Waste*

Effluents from drug manufacturing units may contain high concentrations of antibiotics. These create strong selective pressure, promoting resistant strains in nearby environments.

V. ENVIRONMENTAL IMPACT CONTROL STRATEGIES

Antibiotics used in people and animals end up in the environment through urine and feces. That's why it's important to use antibiotics wisely to reduce pollution. Between 40% and 90% of the antibiotics given, depending on the type, are excreted in the same active form through urine and feces. These antibiotics then enter the environment, getting into soil, water, plants, and more. Using a lot of antibiotics in farming can pollute agro-ecosystems. This happens when manure containing antibiotics is used as fertilizer on farmland or when crops are watered with wastewater. Another issue is when people throw away unused medicines into sewers. Wastewater treatment plants (WWTP) treat antibiotic-contaminated water, but they can't remove all antibiotics. The sludge and treated water from these plants may still have antibiotics. The sludge can be used as fertilizer, and the treated water is

released into rivers and lakes. This causes problems, like making bacteria resistant to antibiotics. Also, plants can absorb antibiotic residues, which may affect their growth and health. Studies have shown that antibiotics can harm photosynthesis, cell growth, and mitochondria in plants.

This is because chloroplasts and mitochondria in plants have origins from bacteria. High levels of antibiotics in soil can slow seed germination and reduce plant growth, which can affect crop yields. Antibiotics can also change the human gut bacteria, leading to health problems such as allergies, long-term poisoning, and issues with digestion. To help prevent these problems, practice good hygiene. Keeping yourself clean helps avoid infections that might require antibiotics. Using more antibiotics can make resistance worse, so it's important to only take them when necessary. Antibiotics don't work against viruses. Sometimes, symptoms of viral and bacterial infections are similar, so you might think you need antibiotics when you don't. If you're sick, talk to your doctor about the right medicine and why you need it. Get the vaccines your doctor recommends. While there are no vaccines for most antibiotic-resistant bacterial infections, the pneumococcal vaccine is an exception. It helps protect against diseases caused by *Streptococcus pneumoniae*.

This vaccine is especially important for young children and older adults. Other vaccines, like the flu shot, help prevent viral infections that might lead to unnecessary antibiotic use. Avoiding viral infections can help prevent situations where antibiotics are used unnecessarily.

VI. CONCLUSION

Antibiotic resistance has become a major problem for global health, and the environment is helping spread resistant bacteria and the genes that make them resistant. Environmental sources like wastewater, runoff from farms, waste from hospitals, and soil systems help antibiotic-resistant bacteria stay around and spread more easily. Having antibiotic leftovers in these areas puts pressure on bacteria, which speeds up their development and spread of resistance. A full grasp of how antibiotic resistance affects the environment shows how human, animal, and ecosystem health are all connected, which makes the One Health approach very important. Good management practices need better ways to clean wastewater, rules to control how antibiotics are used in farming and hospitals, and ongoing checks to keep the environment healthy. In conclusion, fighting antibiotic resistance needs teamwork and coordination at the local, national, and global levels. To stop antibiotic resistance from spreading in the environment and protect public health for years to come, it's important to improve policies, encourage eco-friendly practices, and do more research on how resistance develops and how to reduce it.

REFERENCES

- [1]. Manaia, C.M., Donner, E., Vaz-Moreira, I. and Hong, P., 2020. Antibiotic resistance in the environment.
- [2]. Waglechner, N.; Wright, G.D. Antibiotic resistance: It's bad, but why isn't it worse? *BMC Biol.* 2017, 15, 84.
- [3]. Iwu, C.D.; Korsten, L.; Qkoh, A.I. The incidence of antibiotic resistance within and beyond the agricultural ecosystem: A concern for public health. *Microbiology open* 2020, 9, e1035.
- [4]. Serwecińska, L. Antimicrobials and antibiotic-resistant bacteria: A risk to the environment and to public health. *Water* 2020, 12, 3313. [Google Scholar] [CrossRef]
- [5]. Martinez, J.L. The role of natural environments in the evolution of resistance traits in pathogenic bacteria. *Proc. R. Soc. B Biol. Sci.* 276, 2521-2530 (2009).
- [6]. Davies, J. & Davies, D. Origins and evolution of antibiotic resistance. *Microbiol. Mol. Biol. Rev.* 74, 417-433 (2010). This authoritative and educational review discusses in an insightful way the evolution of resistance, including its origins and future implications.
- [7]. Perry, J., Waglechner, N. & Wright, G. The prehistory of antibiotic resistance. *Cold Spring Harb. Perspect. Med.* 6, a025197 (2016).
- [8]. Rania G Elbaomy, 1, Ahmed H El-Sappah 2, 3, Bong Guo 4, Xiaoling. Luo 4, Shiyuan Deng 1, Meifang Du 1, Xiachong Jian 1, Mohammed Bakeer 5, 6, Zaixin
- [9]. Li1, Zhi Zhang Antibiotic Resistance: A Genetic and Physiological Perspective. *MedComm* (2020). 2025 Oct 31; 6(11): e70447. doi: 10.1002/mco.2.7044
- [10]. Niharika Koch a, 1, Nazim F Islam b, 1, Songita Sonowal a, Ram Prasad a, Hemen Sarma b, 1. Environmental antibiotics and resistance genes as emerging contaminants: Methods of detection and bioremediation. *Curt Res Microb Sci.* 2021 Mar 14; 2: 100027. doi: 10.1016/j.crmicr.2021.100027.
- [11]. Singh A, Pratap SG, Raj A. Occurrence and dissemination of antibiotics and antibiotic resistance in aquatic environment and its ecological implications: a review. *Environmental Science and Pollution Research.* 2024 Jul; 31(35): 47505-29.
- [12]. Manaia CM, Graham D, Topp E, Martinez JL, Collignon P, Gaze WH. Antibiotic resistance in the environment: expert perspectives. In *Antibiotic resistance in the environment: A worldwide overview* 2020 Mar 8 (pp. 1-18). Cham: Springer International Publishing.
- [13]. Aminov RI. The role of antibiotics and antibiotic resistance in nature. *Environmental microbiology.* 2009 Dec; 11(12): 2970-88.
- [14]. Martinez JL. Environmental pollution by antibiotics and by antibiotic resistance determinants. *Environmental pollution.* 2009 Nov 1; 157(11): 2893-902.
- [15]. Coussens NP, Molinaro AL, Culbertson KJ, Peryea T, Zahoránszky-Köhalmi G, Hall MD, Daines DA.

- Better living through chemistry: Addressing emerging antibiotic resistance. *Experimental Biology and Medicine*. 2018 Mar;243(6):538-53.
- [16]. Muteeb G, Rehman MT, Shahwan M, Aatif M. Origin of antibiotics and antibiotic resistance, and their impacts on drug development: A narrative review. *Pharmaceuticals*. 2023 Nov 15;16(11):1615.
- [17]. Roose-Amsaleg C, Laverman AM. Do antibiotics have environmental side-effects? Impact of synthetic antibiotics on biogeochemical processes. *Environmental Science and Pollution Research*. 2016 Mar;23(5):4000-12.
- [18]. Sanni JO, Iwuanyanwu UA, Essien MA. Problem-oriented process mining for auditable marketing automation lifecycle control. *International Journal of Advanced Multidisciplinary Research and Studies*. 2025;5(6):1933-47.
- [19]. Babatope OM, Mayo W, Okoruwa PO, Adedayo D. Designing a machine learning framework for predictive network performance and data flow optimization. *International Journal of Advanced Multidisciplinary Research and Studies*. 2023;3.
- [20]. Wedraogo L, Sanni JO. Machine learning models addressing uncertainty in cross-channel campaign performance forecasting accuracy. *International Journal of Advanced Multidisciplinary Research and Studies*. 2024;4(6):2875-90.
- [21]. Ogbole JI, Okoruwa PO, Babatope OM, Oyewole T. Developing an integrated data visualization model for continuous business performance monitoring and optimization. *International Journal of Advanced Multidisciplinary Research and Studies*. 2023;3.
- [22]. Sikiru AO, Chima OK, Otunba M, Gaffar O, Adenuga AA. Navigating the Regulatory Trilemma-A Framework for Balancing US Tariffs, EU ESG Directives, and Cross-Border Capital Controls. *Engineering and Technology Journal*. 2025;10(08):6437-56.
- [23]. Sanni JO, Wedraogo L. Data-Centric Funnel Optimization Frameworks Resolving Revenue Leakage in High-Value Services. *International Journal of Advanced Multidisciplinary Research and Studies*. 2024;4(6):2859-74.
- [24]. Oparah OS, Ezech FE, Olatunji GI, Ajayi OO. Big Data-Enabled Predictive Models for Anticipating Infectious Disease Outbreaks at Population and Regional Levels. *Journal not specified*. 2022 Nov.