

Crop Disease Prediction in Agriculture Using Deep Learning: A Comprehensive Review

Sneha Jetani¹; Jensi Ghelani²; Reena Desai³

¹Student, Department of Computer Application, Gyanmanjari Innovative University Bhavnagar, India

²Student, Department of Computer Application, Gyanmanjari Innovative University Bhavnagar, India

³Assistant Professor, Department of Computer Application, Gyanmanjari Innovative University Bhavnagar, India

Publication Date: 2026/05/09

Abstract: Crop diseases continue to pose a serious danger to agricultural productivity worldwide, resulting in large losses in crop quality, yield, and economic value. For large-scale farming, traditional disease detection techniques, which mostly rely on specialist knowledge and manual examination, are frequently laborious, subjective and ineffective. Deep learning (DL), a branch of artificial intelligence, has become a potent method for automated and precise crop disease prediction because to developments in information technology. With an emphasis on image-based analysis and data-driven modelling, this paper provides a thorough overview of current advancements in deep learning-based methods for crop disease diagnosis and prediction.

Convolutional Neural Networks (CNNs), one type of deep learning architecture, have shown exceptional performance in reliably diagnosing different crop illnesses and extracting complicated characteristics from plant photos. The detection accuracy has been further enhanced by advanced versions like ResNet, VGGNet, and EfficientNet, which frequently surpass 95 percentage under controlled circumstances. Precision agriculture techniques have been improved by the real-time monitoring and early disease identification made possible by the integration of deep learning with Internet of Things (IoT) devices, remote sensing technologies, and drone-based imaging systems.

Despite these developments, a number of problems still exist, such as the requirement for sizable labelled datasets, high processing demands, overfitting problems, and restricted model generalisation in practical settings. This paper identifies these drawbacks and explores possible remedies, such as explainable deep learning methods, data augmentation, and transfer learning. Future research will focus on integrating intelligent decision-support systems, scalable deployment approaches, and edge computing.

All things considered, deep learning-based crop disease prediction systems have enormous potential to revolutionise contemporary agriculture by facilitating early intervention, enhancing crop health management, and encouraging sustainable farming methods.

Keywords: Deep Learning; Crop Disease Prediction; Convolutional Neural Networks (CNN); Precision Agriculture; Image-Based Disease Detection; Artificial Intelligence; Remote Sensing; IoT in Agriculture.

How to Cite: Sneha Jetani; Jensi Ghelani; Reena Desai (2026) Crop Disease Prediction in Agriculture Using Deep Learning: A Comprehensive Review. *International Journal of Innovative Science and Research Technology*, 11(5), 20-27. <https://doi.org/10.38124/ijisrt/26may290>

I. INTRODUCTION

➤ Background

An Agriculture is a vital component of both economic stability and global food security, sustaining the livelihoods of billions of people worldwide [1]. However, the prevalence of crop diseases, which have a major impact on agricultural productivity, crop quality, and overall yield, is posing an increasing challenge to the industry [2]. Each year, significant agricultural losses are caused by plant diseases brought on by

pathogens such bacteria, viruses, nematodes, and fungus as well as environmental stressors [3]. Crop diseases are thought to be responsible for a 20–40% annual decline in the world's agricultural output, which has substantial economic repercussions and jeopardises food security, especially in developing nations [4].

Crop diseases not only diminish production but also negatively impact produce quality and nutritional value, which lowers market value and increases post-harvest losses

[5]. In order to manage disease outbreaks, farmers frequently rely significantly on chemical pesticides, which raises worries about the environment and human health in addition to raising production costs [6]. Additionally, the increasing effects of climate change have made plant diseases more severe and widespread by changing environmental factors like humidity and temperature, which favour the growth and spread of pathogens. Precision farming and integrated pest control are examples of sustainable methods that are becoming more and more popular as practical substitutes. Therefore, ensuring long-term agricultural sustainability and food security requires the adoption of creative and environmentally friendly solutions [7]. All of these elements emphasise how crucial it is to create effective and long-lasting methods for managing crop diseases. Additionally, overuse of pesticides might result in the emergence of disease strains that are resistant to them, eventually decreasing the efficacy of traditional therapies. Contamination of water and soil resources impacts non-target organisms and further upsets ecological balance. Due to varying returns and a greater reliance on expensive inputs, farmers often have to deal with economic instability [8].

➤ *Problem Description*

Manual examination by farmers or agricultural specialists is the mainstay of traditional crop disease detection techniques [9]. Despite their widespread use, these techniques have a number of drawbacks. Before any control measures can be put in place, late diagnosis frequently causes the virus to spread over vast areas of farmland. Inaccurate diagnoses and poor treatment choices might also result from inconsistent evaluations made by various observers. Furthermore, it is challenging to manually maintain ongoing crop monitoring, particularly in large agricultural fields [10]. Because manual inspection is labour-intensive, time-consuming, and subjective by nature, it is not appropriate for large-scale agricultural operations [11]. Furthermore, precise disease identification necessitates certain knowledge and skills, which aren't always available, especially in remote or resource-constrained locations [12]. These drawbacks demonstrate how ineffective it is for contemporary farming systems to exclusively use conventional techniques. As a result, the demand for automated, dependable, and scalable disease detection methods is rising. The delay in disease identification is another significant drawback [13].

Deep learning and other recent developments in artificial intelligence have demonstrated significant promise in resolving these issues. Also, traditional methods often depend a lot on manual inspection, which takes a lot of time and is easy to make mistakes. It takes even longer to get the right diagnosis and treatment for crop diseases in rural areas because there aren't many experts available [17]. Without the requirement for human feature extraction, deep learning models—particularly Convolutional Neural Networks (CNNs)—can accurately classify diseases by immediately learning complicated patterns from unprocessed data [18]. Nevertheless, despite their encouraging potential, deep learning-based systems encounter difficulties with data accessibility, model generalisation, processing demands, and practical implementation [19]. For deep learning to be

successfully applied in real-world agricultural contexts, these problems must be resolved. It's also hard to respond quickly to new threats because there aren't any real-time monitoring systems. Advanced technologies like computer vision and machine learning hold promise because they make detection faster and more reliable. So, adding smart systems to farming is necessary to boost productivity and cut down on crop losses [20].

➤ *Objectives of the Study*

The main goal of this review is to present a thorough and critical study of deep learning-based methods for crop disease prediction in light of the aforementioned difficulties and developments [21]. This research specifically attempts to assess the effectiveness, efficiency, and suitability of several deep learning architectures, including CNN-based models, in agricultural settings [22]. Additionally, this review looks at several data sources used in disease prediction, including image datasets, environmental sensor data, and remote sensing technologies, and assesses how they affect the robustness and accuracy of the model [23]. In order to improve real-time monitoring and decision-making skills, the project also intends to investigate the integration of deep learning with cutting-edge technologies, such as Internet of Things (IoT) systems and precision agriculture frameworks [24]. This study also highlights important problems and research gaps in the existing literature, such as deployment limits, model interpretability, and dataset limitations [25]. Lastly, it suggests future avenues of inquiry to steer the creation of more effective, scalable, and useful crop disease prediction systems that can support sustainable farming methods and increased food security worldwide [26].

II. CROP DISEASES AND THEIR EFFECTS

One of the biggest obstacles to global agricultural sustainability and food security is still crop diseases [27]. Numerous biotic organisms, such as fungi, bacteria, viruses, and nematodes, as well as abiotic stresses including drought, salinity, and drastic temperature swings, are responsible for these diseases [28].

The most prevalent and damaging of them are fungal infections, which cause common illnesses including rusts, blights, mildews, and wilts. These diseases not only lower the yield, but they also lower the quality of the crops, making them less suitable for eating and selling. The growing use of chemical pesticides to fight these infections is bad for the environment and health [29]. Under ideal environmental circumstances, these diseases can spread quickly, frequently resulting in epidemic outbreaks that seriously harm crops in a short amount of time. Small-scale farmers are especially at risk because they often don't have access to tools that can quickly find diseases or ways to manage them well [30]. Crop diseases have a variety of effects that go beyond just decreased output. Climate change and changing weather patterns are also making plant disease outbreaks happen more often and with more force [31]. Plant diseases are thought to cause a 20–40% annual decline in agricultural production worldwide, endangering food supply chains and causing significant financial losses. So, early detection and good

monitoring systems are necessary to keep losses to a minimum and make sure that farming can keep going [32].

Diseases negatively impact crop quality, nutritional content, and marketability in addition to lowering output, which has an impact on local and worldwide agricultural economies [33]. To reduce these losses, farmers frequently turn to the overuse of chemical pesticides, which not only raises production costs but also poses major health and environmental risks, such as soil deterioration, water contamination, and the creation of resistant disease strains [34]. Furthermore, by changing climatic factors that promote pathogen growth and transmission, climate change has made agricultural diseases more severe and widespread [35]. Many plant infections now have a wider geographic range due to changes in temperature, humidity, and rainfall patterns, which makes managing diseases more difficult [36]. The necessity for sophisticated, precise, and scalable disease detection and prediction systems that can support sustainable agriculture practices is highlighted by these changing difficulties [37].

III. DEEP LEARNING IN CROP DISEASE PREDICTION

Crop Disease Prediction Using Deep Learning With its many advantages over conventional image processing and machine learning methods, deep learning has become a revolutionary paradigm in agricultural diagnostics. Deep learning models, especially convolutional neural networks (CNNs), can automatically learn hierarchical feature representations from raw picture data, in contrast to traditional techniques that depend on manually created feature extraction. Because of this capacity, they are able to identify intricate, non-linear patterns linked to illness symptoms, leading to extremely precise classification and forecasting [38].

Crop disease prediction has made substantial use of CNN designs including AlexNet, VGGNet, ResNet, and EfficientNet. The computational efficiency and structural design of these models vary, with deeper architectures typically providing better feature representation capabilities. Also, ResNet is known for its simple and consistent architecture, which uses small convolutional filters to create deeper representations, but it needs a lot of computing power. These models have been successfully used on large agricultural datasets, making it easier to tell what disease is affecting a plant from its leaves. People often use transfer learning techniques with these architectures to speed up training and improve performance, especially when there isn't much labelled data. So, the use of advanced CNN architectures is still very important for making crop disease prediction systems that are strong and can grow. For example, ResNet uses residual connections to address the vanishing gradient issue, enabling the training of extremely deep networks. In order to provide state-of-the-art performance with optimal computing efficiency, EfficientNet uses a compound scaling technique to balance network depth, width, and resolution [39].

By making it possible to repurpose pre-trained models created on extensive datasets, transfer learning has further expedited the adoption of deep learning in agriculture. This method makes deep learning more accessible for agricultural applications by drastically reducing the demand for large labelled datasets and cutting training time. Additionally, models can more effectively generalise across many crop varieties and climatic circumstances thanks to transfer learning. By using attention mechanisms, models are able to concentrate on the most pertinent areas of plant photos, increasing the accuracy of detection. By combining the advantages of several models, ensemble approaches produce forecasts that are more dependable and strong. Additionally, these developments enable real-time illness monitoring via edge-based and mobile applications. Deep learning so continues to propel innovation in intelligent and data-driven farming methods. Additionally, to improve model performance and resilience, sophisticated methods including ensemble learning and attention processes have been incorporated with CNNs. Deep learning is a key component of contemporary precision agricultural systems since it has generally shown better performance in crop disease prediction tasks, especially in image-based classification [40].

IV. DATA SOURCES FOR DISEASE PREDICTION

➤ *Information Sources for Predicting Diseases*

The quality, diversity, and representativeness of the input data have a significant impact on how well deep learning-based crop disease prediction systems work. Since visual signs including lesions, discolouration, and morphological changes represent important indications of plant health, image-based datasets continue to be the main source of information. Nevertheless, a large number of publicly accessible information are gathered in controlled laboratory settings, which restricts their usefulness in real-world situations where environmental variability is substantial [41].

Researchers are increasingly using multi-modal data sources in predictive models to overcome these constraints. Along with environmental factors, image data from the leaves and stems of plants makes prediction models even more accurate. Combining sensor data with deep learning methods makes it possible to find diseases more accurately and at an earlier stage. Also, IoT-based systems make it possible to monitor agricultural fields in real time and collect data all the time. Farmers can make better decisions with this mix of different data sources because they get timely alerts and suggestions. Multi-modal approaches are a big part of making smart and proactive systems for managing crop diseases. Understanding disease dynamics depends heavily on environmental data gathered by sensors, such as temperature, humidity, rainfall, and soil moisture. Predictive modelling is made possible by these parameters, which have an impact on pathogen development and illness progression even before symptoms become apparent [42].

The breadth of data collection in agriculture has been considerably extended by remote sensing technologies. Farmers and researchers can use these technologies to find small changes in the physiology of crops that are not visible to the naked eye. Also, machine learning algorithms can be used with remote sensing data to make disease classification and prediction more accurate. Drones also make it possible to monitor specific areas, which cuts down on the time and effort needed for manual field inspections. Also, satellite systems that keep an eye on things all the time help timely intervention strategies that stop major crop damage. In general, remote sensing is very important for improving precision agriculture and sustainable crop management.

Large-scale monitoring capabilities are made possible by satellite images and drone-based imaging technologies, which make it possible to identify disease patterns throughout vast agricultural fields. Stress and illness conditions can be identified early because to sophisticated imaging methods like multispectral and hyperspectral imaging, which record information outside of the visible spectrum [43].

More accurate and dependable illness prediction systems are made possible by the integration of these many data sources, which strengthens the robustness and generalisability of deep learning models [44].

V. CROP DISEASE DETECTION AND CLASSIFICATION USING A DEEP LEARNING-BASED PIPELINE




Fig 1 Workflow of Deep Learning-Based Crop Disease Detection System

The graphic (Fig 1) shows a methodical pipeline that starts with gathering data from agricultural areas in order to anticipate crop diseases using deep learning. Using imaging equipment like cellphones or cameras, pictures of a variety of crops, including apples, peaches, grapes, tomatoes, and potatoes, are gathered. After that, these photos are kept in a well-organised image database, which serves as the basis for additional analysis [45].

At this point, accurate training and dependable model performance depend on a broad and well-labeled dataset. Preprocessing methods are used after data collection to improve image quality and standardise the dataset. Resizing, normalisation, noise reduction, and augmentation techniques like rotation and flipping are all included in this. To facilitate

efficient model building and objective evaluation, the processed dataset is subsequently split into subsets for testing, validation, and training [46].

A well-distributed dataset reduces overfitting and enhances the model's capacity for generalisation. The central component of the system is the training of a multimodal deep learning algorithm, which is usually based on convolutional neural networks. The model automatically extracts key features from the leaf images, such as colour variations, texture patterns, and disease spots. These features are then used for multiclass classification, which enables the system to differentiate between various crop diseases and healthy conditions [47].

This automated feature extraction reduces the need for human intervention and increases detection efficiency. Lastly, test data is used to evaluate the trained model's performance using measures including accuracy, precision, recall, and F1-score. The model's robustness and suitability for practical agricultural applications are guaranteed by the performance assessment process. All things considered, this pipeline shows how deep learning can be used to detect crop diseases early and accurately, improving crop management and promoting sustainable farming methods [48].

VI. IOT AND PRECISION AGRICULTURE INTEGRATION

The development of intelligent and data-driven agricultural systems has greatly advanced due to the convergence of deep learning and Internet of Things (IoT) technology. IoT-based frameworks are made up of linked sensors, gadgets, and communication networks that continuously track crop and environmental conditions in real time. Large amounts of data are produced by these systems, and deep learning algorithms are used to interpret the data in order to spot disease trends and forecast possible outbreaks [49].

Precision agriculture techniques, which base decisions on current data rather than broad hypotheses, are made possible by this integration. For example, imaging equipment can record early signs on plant surfaces, and environmental sensors can identify conditions that are conducive to disease development. In order to optimise resource use and reduce environmental effect, deep learning algorithms evaluate this data and produce practical suggestions, such as targeted pesticide use or irrigation modifications [50].

By enabling local data processing, lowering latency, and guaranteeing real-time response, the integration of edge computing further improves these systems' efficiency. In rural places with poor internet connectivity, this is especially crucial. All things considered, the combination of IoT with deep learning signifies a paradigm change toward smart agriculture, which is defined by higher productivity, sustainability, and efficiency [51].

VII. COMPARATIVE ANALYSIS OF DEEP LEARNING MODELS

Depending on their architectural design, computational complexity, and application context, deep learning models' performance in predicting crop diseases varies greatly. CNN-based models continue to be the most popular because of their capacity to extract spatial features from images. VGGNet is renowned for its ease of use and reliable performance, while ResNet offers improved accuracy through deep residual learning [52].

EfficientNet has become well-known because it can achieve high accuracy at a lower computational cost, which makes it appropriate for real-time applications. Lightweight models that strike a compromise between efficiency and performance, like MobileNet, are made especially for

deployment on mobile and edge devices. Conversely, more intricate designs like DenseNet and Inception networks offer greater accuracy but demand a significant amount of processing power [53].

Hybrid models that incorporate attention processes, which allow the model to concentrate on pertinent areas of the image and increase classification accuracy, are examples of recent developments. By lowering prediction variance, ensemble methods that incorporate several models have also demonstrated enhanced performance. Depending on the particular needs of the application, choosing a suitable model entails a trade-off between accuracy, computing efficiency, and scalability [54].

VIII. DIFFICULTIES AND RESTRICTIONS

Despite deep learning's potential for predicting crop diseases, a number of obstacles prevent its widespread use. The lack of extensive, varied, and well-annotated datasets is one of the main obstacles. Many models' capacity to generalise to real-world settings is limited since they were trained on small datasets that were gathered under carefully monitored circumstances [55].

The high computational cost of developing and implementing deep learning models is another major obstacle. Small-scale farmers and areas with restricted access to cutting-edge technology infrastructure are hampered by this requirement. Overfitting is still a serious problem, especially when models are trained on limited datasets and perform poorly on new data [56].

Because consumers frequently demand openness in decision-making processes, deep learning models' lack of interpretability further restricts their acceptance. Furthermore, model performance can be greatly impacted by environmental variability, which includes variations in lighting, backdrop, and weather. The development of reliable, effective, and comprehensible models as well as the production of standardised and varied datasets are necessary to address these issues [57].

IX. PROSPECTS FOR THE FUTURE

It is anticipated that future studies in crop disease prediction will concentrate on creating sophisticated deep learning models that are not only precise but also effective and comprehensible. In order to improve model transparency and give consumers the ability to comprehend and trust model predictions, explainable artificial intelligence (XAI) is probably going to be crucial [58].

Real-time and extensive monitoring of agricultural fields will be made possible by the integration of deep learning with cutting-edge technologies like edge computing, drone-based imagery, and remote sensing. Predictive accuracy is anticipated to be significantly enhanced by developments in multi-modal learning, which integrate environmental and genetic data with image data [59].

Furthermore, the creation of mobile-friendly, lightweight models will make it easier for these technologies to be used in environments with limited resources. Agricultural practices could be completely transformed by the creation of worldwide disease monitoring systems driven by cloud computing and big data analytics [61]. In the end, deep learning, IoT, and precision agriculture will come together to create intelligent and sustainable farming systems that can handle upcoming difficulties in the world's food production [61].

X. CONCLUSION

Crop diseases remain a serious threat to food security, economic stability, and agricultural production worldwide. Conventional disease detection techniques, which depend on specialist knowledge and human examination, are frequently ineffective, subjective, and inappropriate for large-scale agricultural applications. The necessity for sophisticated, precise, and scalable crop disease prediction technologies has been further highlighted by the increasing complexity of agricultural systems and the expanding effects of climate change.

Deep learning models, especially Convolutional Neural Networks (CNNs), have shown impressive capabilities in automatically extracting complex features from plant images and accurately identifying disease patterns. The performance and applicability of these models have been greatly enhanced by the availability of large datasets, advances in computational power, and the development of sophisticated architectures like ResNet and EfficientNet. Additionally, the integration of deep learning with emerging technologies like the Internet of Things (IoT), remote sensing, and drone-based imaging, thereby supporting precision agriculture practices.

Despite these developments, a number of obstacles still prevent deep learning-based systems from being widely used. It is necessary to solve issues including the absence of high-quality annotated datasets, the inability of models to generalise under real-world settings, the high computational costs, and the limited interpretability. Transforming research findings into workable agricultural solutions requires overcoming these obstacles.

The creation of reliable, lightweight, and comprehensible deep learning models that can function effectively in a variety of environmental circumstances should be the main goal of future research. The efficacy of crop disease prediction systems is anticipated to be significantly improved by the integration of multi-modal data sources, such as environmental and genetic data, as well as developments in explainable artificial intelligence and edge computing.

In conclusion, by facilitating early diagnosis, enhancing crop health management, and encouraging sustainable farming methods, deep learning-based crop disease prediction has enormous potential to transform contemporary agriculture. Future agricultural issues and ensuring global

food security will depend heavily on ongoing research and technical innovation in this area.

REFERENCES

- [1]. S.P. Mohanty, D.P. Hughes and M. Salathé, "Using deep learning for image-based plant disease detection," *Frontiers in Plant Science*, vol. 7, 2016, p. 1419.
- [2]. A. Kamilaris and F.X. Prenafeta-Boldú, "Deep learning in agriculture: A survey," *Computers and Electronics in Agriculture*, vol. 147, 2018, pp. 70–90.
- [3]. K.G. Liakos, P. Busato, D. Moshou, S. Pearson and D. Bochtis, "Machine learning in agriculture: A review," *Sensors*, vol. 18, no. 8, 2018, p. 2674.
- [4]. Y. LeCun, Y. Bengio and G. Hinton, "Deep learning," *Nature*, vol. 521, 2015, pp. 436–444.
- [5]. A. Kamilaris and F.X. Prenafeta-Boldú, "Deep learning in agriculture applications," *Agronomy*, vol. 10, 2020, p. 113.
- [6]. L. Li, S. Zhang and B. Wang, "Plant disease detection and classification by deep learning," *IEEE Access*, vol. 9, 2021, pp. 56683–56698.
- [7]. U.P. Singh and S. Jain, "Applications of image processing in agriculture: A survey," *Computers and Electronics in Agriculture*, vol. 157, 2019, pp. 86–98.
- [8]. S. Sankaran, A. Mishra, R. Ehsani and C. Davis, "A review of advanced techniques for detecting plant diseases," *Computers and Electronics in Agriculture*, vol. 72, no. 1, 2010, pp. 1–13.
- [9]. A.K. Mahlein, "Plant disease detection by imaging sensors," *Annual Review of Phytopathology*, vol. 54, 2016, pp. 435–460.
- [10]. S.S. Kamble, A. Gunasekaran and R. Sharma, "Digital transformation in agriculture," *Technological Forecasting and Social Change*, vol. 160, 2020, p. 120315.
- [11]. J.G.A. Barbedo, "Plant disease identification from individual lesions and spots using deep learning," *Biosystems Engineering*, vol. 180, 2019, pp. 96–107.
- [12]. T. Rumpf *et al.*, "Early detection and classification of plant diseases," *Computers and Electronics in Agriculture*, vol. 74, no. 1, 2010, pp. 91–99.
- [13]. M. Zhang, Z. Qin, X. Liu and S.L. Ustin, "Detection of stress in crops using remote sensing," *Remote Sensing of Environment*, vol. 222, 2019, pp. 104–117.
- [14]. A.K. Mahlein, "Plant disease detection by imaging sensors," *Annual Review of Phytopathology*, vol. 54, 2016, pp. 435–460.
- [15]. G. Polder *et al.*, "Detection of tulip breaking virus using optical sensors," *Precision Agriculture*, 2019.
- [16]. J. Zhang, R. Pu, W. Huang and L. Yuan, "Monitoring plant diseases using remote sensing," *Remote Sensing*, vol. 11, 2019, p. 243.
- [17]. S. Kaur, S. Pandey and S. Goel, "Plants disease identification using image processing," *Archives of Computational Methods in Engineering*, 2019.
- [18]. V. Singh and A.K. Misra, "Detection of plant leaf diseases using image segmentation," *Procedia Computer Science*, 2017.

- [19]. K.P. Ferentinos, "Deep learning models for plant disease detection and diagnosis," *Computers and Electronics in Agriculture*, vol. 145, 2018, pp. 311–318.
- [20]. E.C. Too, L. Yujian, S. Njuki and L. Yingchun, "A comparative study of deep learning models for plant disease identification," *Computers and Electronics in Agriculture*, vol. 161, 2019, pp. 272–279.
- [21]. S. Sladojevic, M. Arsenovic, A. Anderla, D. Culibrk and D. Stefanovic, "Deep neural networks based recognition of plant diseases," *Computational Intelligence and Neuroscience*, 2016.
- [22]. M. Brahimi, K. Boukhalfa and A. Moussaoui, "Deep learning for tomato diseases classification," *Applied Artificial Intelligence*, vol. 31, no. 4, 2017, pp. 299–315.
- [23]. Y. Lu, S. Yi, N. Zeng, Y. Liu and Y. Zhang, "Identification of rice diseases using CNNs," *Neurocomputing*, vol. 267, 2017, pp. 378–384.
- [24]. G. Wang, Y. Sun and J. Wang, "Automatic image-based plant disease severity estimation," *Computational Intelligence and Neuroscience*, 2017.
- [25]. J. Chen *et al.*, "Automatic plant disease identification using deep learning," *Computers and Electronics in Agriculture*, 2020.
- [26]. B. Liu, Y. Zhang, D. He and Y. Li, "Identification of apple leaf diseases using deep CNN," *Symmetry*, vol. 10, no. 1, 2018, p. 11.
- [27]. S.P. Mohanty, "Precision agriculture using deep learning," *IEEE Consumer Electronics Magazine*, 2020.
- [28]. A. Ramcharan *et al.*, "Deep learning for image-based cassava disease detection," *Plant Methods*, vol. 13, 2017, p. 80.
- [29]. A. Krizhevsky, I. Sutskever and G.E. Hinton, "ImageNet classification with deep convolutional neural networks," *Communications of the ACM*, vol. 60, no. 6, 2017, pp. 84–90.
- [30]. K. Simonyan and A. Zisserman, "Very deep convolutional networks for large-scale image recognition," *arXiv*, 2014.
- [31]. K. He, X. Zhang, S. Ren and J. Sun, "Deep residual learning for image recognition," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016.
- [32]. M. Tan and Q. Le, "EfficientNet: Rethinking model scaling for convolutional neural networks," in *Proceedings of the International Conference on Machine Learning (ICML)*, 2019.
- [33]. A.G. Howard *et al.*, "MobileNets: Efficient convolutional neural networks for mobile vision applications," *arXiv*, 2017.
- [34]. G. Huang, Z. Liu, L. Van Der Maaten and K.Q. Weinberger, "Densely connected convolutional networks," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017.
- [35]. C. Szegedy *et al.*, "Rethinking the inception architecture for computer vision," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016.
- [36]. I. Goodfellow, Y. Bengio and A. Courville, *Deep Learning*. Cambridge, MA: MIT Press, 2016.
- [37]. C. Shorten and T.M. Khoshgoftaar, "A survey on image data augmentation for deep learning," *Journal of Big Data*, 2019.
- [38]. S. Zhang, X. Wu, Z. You and L. Zhang, "Leaf image-based disease identification using deep convolutional neural networks," *Computers and Electronics in Agriculture*, 2017.
- [39]. A. Picon *et al.*, "Deep convolutional neural networks for mobile capture device-based crop disease classification," *Computers and Electronics in Agriculture*, 2019.
- [40]. D.P. Hughes and M. Salathé, "An open access repository of images on plant health to enable the development of mobile disease diagnostics," *arXiv*, 2015.
- [41]. A.S. Abade, P.A. Ferreira and F.B. Vidal, "Plant disease recognition on images using convolutional neural networks," *arXiv*, 2016.
- [42]. S.S. Chouhan *et al.*, "A novel CNN-based approach for plant disease detection," *Applied Soft Computing*, 2020.
- [43]. M. Zhang, Z. Qin, X. Liu and S.L. Ustin, "Remote sensing applications in crop stress detection: A review," *Remote Sensing of Environment*, vol. 222, 2019, pp. 104–117.
- [44]. S. Wolfert, L. Ge, C. Verdouw and M.J. Bogaardt, "Big data in smart farming – A review," *Agricultural Systems*, 2017.
- [45]. P.P. Ray, "Internet of Things for smart agriculture: Technologies, practices and future direction," *Journal of Ambient Intelligence and Smart Environments*, 2017.
- [46]. O. Elijah, T.A. Rahman *et al.*, "An overview of Internet of Things (IoT) and data analytics in agriculture," *IEEE Internet of Things Journal*, 2018.
- [47]. Y. Kim, R.G. Evans and W.M. Iversen, "Remote sensing and control of an irrigation system using a distributed wireless sensor network," *Computers and Electronics in Agriculture*, 2008.
- [48]. Y. Zhang, S. Wang and G. Ji, "A comprehensive survey on IoT-based agriculture," *IEEE Access*, 2020.
- [49]. X. Li *et al.*, "Edge computing for smart agriculture: Opportunities and challenges," *Future Generation Computer Systems*, 2020.
- [50]. X. Xu *et al.*, "Deep learning in precision agriculture: A survey," *Computers and Electronics in Agriculture*, 2021.
- [51]. A. Ramesh *et al.*, "Crop disease detection using deep learning and IoT," *IEEE Access*, 2022.
- [52]. K.P. Ferentinos, "Deep learning models for plant disease detection and diagnosis," *Computers and Electronics in Agriculture*, vol. 145, 2018, pp. 311–318.
- [53]. E.C. Too *et al.*, "A comparative study of deep learning models for plant disease identification," *Computers and Electronics in Agriculture*, vol. 161, 2019, pp. 272–279.

- [54]. C. Shorten and T.M. Khoshgoftaar, “Image data augmentation techniques for deep learning,” *Journal of Big Data*, 2019.
- [55]. S.S. Chouhan *et al.*, “Optimization techniques for CNN-based plant disease detection,” *Applied Soft Computing*, 2020.
- [56]. K.G. Liakos *et al.*, “Machine learning challenges in agriculture,” *Sensors*, 2018.
- [57]. C. Shorten and T.M. Khoshgoftaar, “Data limitations and challenges in deep learning,” *Journal of Big Data*, 2019.
- [58]. A. Kamilaris *et al.*, “Deep learning limitations in agriculture,” *Agronomy*, 2020.
- [59]. S. Kaur *et al.*, “Challenges in image processing for agriculture,” *Archives of Computational Methods in Engineering*, 2019.
- [60]. X. Li *et al.*, “Edge computing applications in agriculture,” *Future Generation Computer Systems*, 2020.
- [61]. X. Xu *et al.*, “Precision agriculture using deep learning techniques,” *Computers and Electronics in Agriculture*, 2021.